

TROAX[®]



THE PANIC BAR

MATERIAL HANDLING & LOGISTICS SOLUTIONS



SKILL, QUALITY AND EXPERIENCE

www.troax.com




There is always a risk!

As an employer you have the responsibility for creating a working environment that is as safe and secure as possible for your employees. One simple way of doing this is to create safe escape routes by having a Panic Bar on the exit doors.

No-one knows how people will react in a panic situation and this is why EN1125 was developed as a norm for the way locks on escape routes in working environments should be designed. This norm describes how a lock should function and be tested in order to ensure that you are able to pass through the doorway in all situations in the event of an accident.

With the Troax Panic Bar we can offer you cheap life insurance and safety for your employees, in routine as well as non-routine situations.



What does EN1125 mean?


For example, the lock is guaranteed to unlock no matter where on the door you push. Even if the opening resistance is 1,000 Newton metres at the top of the door, you should still be able to open it with a simple push. Troax Caelum doors in combination with the Panic Bar fulfil these requirements. Anything for yours and your colleague's safety. The basic data in the illustration was taken from EN1125.



Tested and Approved

The solution that Troax offers has been tested and approved in accordance with the European Standard EN1125. This means that the lock is tested in a demanding conditions to make sure that it can handle a panic situation.

The lock with bolts that run along the whole door is easy to install while larger parts are delivered pre-assembled. Existing Troax Caelum doors can also be updated with this lock.





SKILL, QUALITY AND EXPERIENCE



Int. Head Office: Gunnebo Troax AB P.O. Box 89 SE-330 33 Hillerstorp Sweden
Phone +46 (0)370 828 00 Fax +46 (0)370 824 86 info@troax.se www.troax.com

Member of the Gunnebo security group