


PANEL UR350 ACL

UR 350 panels are an ideal solution for providing a secure work environment. The mesh, constructed from press welded 2.5 mm wires with mesh aperture 50x50 mm, is welded to a 19x19 mm tubular frame, giving supreme protection against falling goods from pallet racks. The Anti Collapse panel system is an effective way to protect walkways and pallet rack aisles from unnecessary accidents. Panels are available in 3 widths from 700 to 1500 mm in height of 2200 or 1100 mm. Troax can supply mesh panels and systems in any colour or Hot Dip Galvanized execution. Our standard grey colour RAL 7037 creates the best visibility condition over the safety zone.



FACTS

| ART. NO | COMPONENTS | HEIGHT (mm) | WIDTH (mm) | MESH SIZE (mm) | FRAME (mm) |
|----------|-----------------------|-------------|------------|----------------|------------|
| 35070001 | Panel UR350 2200x700 | 2200 | 700 | 50x50 | 19x19 |
| 35070011 | Panel UR350 1100x700 | 1100 | 700 | 50x50 | 19x19 |
| 35120001 | Panel UR350 2200x1200 | 2200 | 1200 | 50x50 | 19x19 |
| 35120011 | Panel UR350 1100x1200 | 1100 | 1200 | 50x50 | 19x19 |
| 35150001 | Panel UR350 2200x1500 | 2200 | 1500 | 50x50 | 19x19 |
| 35150011 | Panel UR350 1100x1500 | 1100 | 1500 | 50x50 | 19x19 |

ACCESSORIES



CUT PROFILE
PARTITIONING AND
ANTI-COLLAPSE


COMBINE WITH



PANEL UR325 ACL



UNI-BRACKET



PANEL UR300 ACL



ULTIMA BRACKET



SHELVES

IMAGES

