


PANEL UR300

The UR300 panel system from Troax is a light-duty, modular mesh system that is suitable for creating added storage within a well-protected environment. The mesh, constructed from press welded 2.5 mm wires with mesh aperture 100x50 mm, is welded to a 19x19 mm tubular frame for added strength. The panel is available in 7 widths between 200 mm up to 1500 mm. The system is ideal for creating inner partitioning walls or roof within a secure storage application when used in conjunction with the Troax UR 350 & UX 450 panels. It can also be used on its own for applications where a less degree of security is required.




FACTS

ART. NO	COMPONENTS	HEIGHT (mm)	WIDTH (mm)	MESH SIZE (mm)	FRAME (mm)
35020101	Panel UR300 2200x200	2200	200	50x100	19x19
35030101	Panel UR300 2200x300	2200	300	50x100	19x19
35070101	Panel UR300 2200x700	2200	700	50x100	19x19
35080101	Panel UR300 2200x800	2200	800	50x100	19x19
35100101	Panel UR300 2200x1000	2200	1000	50x100	19x19
35120101	Panel UR300 2200x1200	2200	1200	50x100	19x19
35150101	Panel UR300 2200x1500	2200	1500	50x100	19x19

Finish on panels, posts and powder coated accessories has the last figure variants in **ART. NO.**

"1" = RAL 7037 Dusty Grey; "2" RAL 1018 Zink Yellow; "5" All other RAL colours or cut/welded; "6" RAL 9005 Jet Black, "8" Hot dip galvanized

ACCESSORIES



SHELF




CUTTING PROFILES
ST20/ST30




END PROFILE UR/UX

COMBINE WITH



PANEL UR350




DOOR UR350



PANEL TYPE P



DOOR TYPE P



DOOR UR SP

IMAGES

