


PANEL UR350

If you need a storage space where there is a low risk of breakin, choose the UR 350 panel, which is the backbone of Troax Classic. This panel provides you with a light and airy storage environment. UR 350 can also be used as a partition wall in our other systems. The mesh, constructed from press welded 2.5 mm wires with mesh aperture 50x50 mm, is welded to a 19x19 mm tubular frame for added strength. The panel is available in 8 widths between 200 mm up to 1500 mm.



FACTS

ART. NO	COMPONENTS	HEIGHT (mm)	WIDTH (mm)	MESH SIZE (mm)	FRAME (mm)
35020001	Panel UR350 2200x200	2200	200	50×50	19x19
35030001	Panel UR350 2200x300	2200	300	50×50	19x19
35050001	Panel UR350 2200x500	2200	500	50×50	19x19
35070001	Panel UR350 2200x700	2200	700	50×50	19x19
35080001	Panel UR350 2200x800	2200	800	50×50	19x19
35100001	Panel UR350 2200x1000	2200	1000	50×50	19x19
35120001	Panel UR350 2200x1200	2200	1200	50×50	19x19
35150001	Panel UR350 2200x1500	2200	1500	50×50	19x19

Finish on panels, posts and powder coated accessories has the last figure variants in ART. NO.

"1" = RAL 7037 Dusty Grey; "2" RAL 1018 Zink Yellow; "5" All other RAL colours or cut/welded; "6" RAL 9005 Jet Black, "8" Hot dip galvanized

20-11-25 1/3



ACCESSORIES







CUTTING PROFILES ST20/ST30



END PROFILE UR/UX

COMBINE WITH



DOOR UR350



PANEL UR300



PANEL TYPE P



DOOR TYPE P



DOOR UR SP



IMAGES

