


SINGLE LOCKER

The Single Locker doors can be created out of every of our standard wall panel widths in both our UR350 and UX450 range. These eight widths are 200 mm, 300 mm, 500 mm, 700 mm, 800 mm, 1,000 mm, 1,200 mm or 1,500 mm. However, walls for Single Locker are always built by using UR350 panels. Panels are supplied powder coated as standard with a grey RAL 7037 finish, however other RAL colours are available upon request. Panels can also be supplied hot-dip galvanized for external use or in cold storage areas.



FACTS

ART. NO	COMPONENTS
35020001	Panel UR350 2200x200
35030001	Panel UR350 2200x300
35050001	Panel UR350 2200x500
35070001	Panel UR350 2200x700
35080001	Panel UR350 2200x800
35100001	Panel UR350 2200x1000
35120001	Panel UR350 2200x1200
35150001	Panel UR350 2200x1500
36020001	Panel UX450 2200x200
36030001	Panel UX450 2200x300
36050001	Panel UX450 2200x500
36070001	Panel UX450 2200x700
36080001	Panel UX450 2200x800
36100001	Panel UX450 2200x1000
36120001	Panel UX450 2200x1200



SINGLE LOCKER

PROPERTY PROTECTION
WAREHOUSE PARTITIONING

ART. NO	COMPONENTS
36150001	Panel UX450 2200x1500

COMBINE WITH



DOUBLE LOCKER



SINGLE LOCKER

PROPERTY PROTECTION
WAREHOUSE PARTITIONING

IMAGES

