


DOUBLE LOCKER

The Double Locker system is available in both UR350 and UX450 execution all around the front, back, side- and top. There are two standard door widths, 500mm and 800mm. The walls in the depth can be built using all eight standard panel widths.

Panels are supplied powder coated as standard with a grey RAL 7037 finish, however other RAL colours are available upon request. Panels can also be supplied hot dip galvanized for external use or in cold storage areas.



FACTS

ART. NO	COMPONENTS
35020001	Panel UR350 2200x200
35030001	Panel UR350 2200x300
35050001	Panel UR350 2200x500
35050301	DbL Locker UR350 2200x500Door
35070001	Panel UR350 2200x700
35080001	Panel UR350 2200x800
35080301	DbL Locker UR350 2200x800Door
35100001	Panel UR350 2200x1000
35120001	Panel UR350 2200x1200
35150001	Panel UR350 2200x1500
36020001	Panel UX450 2200x200
36030001	Panel UX450 2200x300
36050001	Panel UX450 2200x500
36050301	DbL Locker UX450 2200x500Door
36070001	Panel UX450 2200x700



ART. NO	COMPONENTS
36080001	Panel UX450 2200x800
36080301	Dbl Locker UX450 2200x800Door
36100001	Panel UX450 2200x1000
36120001	Panel UX450 2200x1200
36150001	Panel UX450 2200x1500



DOUBLE LOCKER

PROPERTY PROTECTION
WAREHOUSE PARTITIONING

COMBINE WITH



SINGLE LOCKER



DOUBLE LOCKER

PROPERTY PROTECTION
WAREHOUSE PARTITIONING

IMAGES

