

## FORTRESS INTERLOCKS

The Fortress amGardpro products are designed, tested and TUV approved for use in Category 4/PLe safe control systems. A completely configurable safety interlocking solution designed to meet the exact requirements of your application. Pushbutton controls, ethernet connectivity and trapped key options can all be combined together into a single unit. The robust design and high strength rating does not require additional safety components to be mounted to the gate to meet PLe. The integration of trapped keys within the unit can restrict access or protect employees during whole body access.

Fortress tGard is designed, tested and TUV approved for use in Category 3/PLd applications. Ergonomic actuator and handle options can be specified alongside escape release elements and trapped keys. Keys can be used to restrict access only to key holders or to provide a personnel safety key so that the guard cannot close behind the operator in a whole body access application.

Contact with Fortress for more details around the interlocks, fortress-safety.com.

To find the brackets fitting for each solution, check the Follow  $\ensuremath{\mathsf{Me}}$ .



## **FACTS**

ART. NO	COMPONENTS
29504000	Kit Screw AmGard Pro
29504009	Bracket Handle No1 AmGard Pro
29504009	Bracket Handle No1 AmGard Pro
29504019	Striking plate No1 AmGard Pro
29504019	Striking plate No1 AmGard Pro
29504029	Bracket Handle No 2 AmGard Pro
29504029	Bracket Handle No 2 AmGard Pro
29504049	Bracket AmGard Pro Sl.bar
29504049	Bracket AmGard Pro Sl.bar



ART. NO	COMPONENTS
29504059	Striking plate No3 AmGard Pro
29504059	Striking plate No3 AmGard Pro
29504100	Screwbag Amgard Sl.bar
29504100	Screwbag Amgard Sl.bar
36906390	Kit 6390 Fortress tGard
36906390	Kit 6390 Fortress tGard
77020237	Kit Fortress tGard



## **COMBINE WITH**















SINGLE HINGED DOOR

DOUBLE HINGED DOOR

FOLDING DOOR

SINGLE SLIDING DOOR

DOUBLE SLIDING DOOR IN SINGLE RAIL



## **IMAGES**

