

ECHO

The TÜV-tested and flexible d-flexx Traffic Barrier Plus Echo is a combination of the d-flexx modules Charlie and Delta. Due to the additional heavy pipe in the lower part of the traffic barrier plus, also pedestrian areas can be additionally protected. The fixing material is included with the d-flexx-Traffic Barrier Plus Echo. The fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

Width: 600 mm / 1000 mm

Height: 1200 mm



FACTS

ART. NO	COMPONENTS	
12000056	Echo End post	3+1 Beams
12000057	Echo Middle post	3+1 Beams
12000058	Echo Standard beam	3+1 Beams
12000059	Echo Individual beam	3+1 Beams
12000060	Echo End post	for Juliet
12000061	Echo Middle post	for Juliet
12000062	Echo T-post	for Juliet
12000063	Echo Corner post Left	for Juliet
12000064	Echo Corner post Right	for Juliet

Technical Information

- Tested to withstand force of (Joule) Top: 2.500 – Bottom: 10.000J
- Vehicle weight equivalent (kg) 5.000 kg
- Vehicle equivalent speed (km/h) 7,2 km/h
- Equivalent angle of impact 90°
- Deflection zone 250 mm

Material Properties



ECHO

MACHINE GUARD
WAREHOUSE PARTITIONING
AUTOMATED WAREHOUSE

- Chemical Resistance high - ISO/TR 10358
- Temperature Range -40° up to + 50°
- Recyclability 100%
- Material: Polyethylene

Other

- Color: Yellow (like RAL 1018 traffic yellow) / black
- Indoor use: Yes
- Outdoor use: Yes
- Boreholes: 4
- Fixing: The fixing material is included.
- Fixing dimensions: M12X80 mm

COMBINE WITH



CHARLIE




JULIET



DELTA 3 BEAM



DELTA 4 BEAM



DELTA COLUMN