

POST 80X80

The 80x80 mm post is assembled together with the Strong Fix system. It's available in three heights as standard: 1,400 mm, 2,200 mm and 3,000 mm. The posts can be cut to any required height and also extended, using the extension bracket. The stronger 80x80 mm post is suitable for environments where there is a risk of collision or impact with objects. It's tested to withstand impacts up to 8180 joules, and as a standard solution together with the ST30 panels and the Strong Fix system, it withstands an impact of 6000 joules.




FACTS

ART. NO	COMPONENTS
29801541	Post 80x80x2x1400
29801551	Post 80x80x2x2200
29801561	Post 80x80x2x3000
29801571	Post 80x80x2x2500


Finish on panels, posts and powder coated accessories has the last figure variants in **ART. NO.**

"1" = RAL 7037 Dusty Grey; "2" RAL 1018 Zink Yellow; "5" All other RAL colours or cut/welded; "6" RAL 9005 Jet Black, "8" Hot dip galvanized

ACCESSORIES



EXTENSION
BRACKET



WIRE TRAY SYSTEM




TUBES


COMBINE WITH



STRONG FIX



PANEL ST30



PANEL ST20



POST 80X80

MACHINE GUARD
AUTOMATED WAREHOUSE
WAREHOUSE PARTITIONING

IMAGES

