

# ALFA

The TÜV-tested, flexible d-flexx rack protection Alfa is an innovative protection for shelves. The simple assembly without additional tools allows a quick application and easy handling in the annual rack tests. The Rack Guard is clicked directly onto the shelf to be protected. Due to the not necessary ground fastening, the ground is protected in case of a collision.

Alfa is available for rack legs 75- 100 mm and 100 - 125 mm, in two different heights.

Height: 400 mm / 600 mm



## FACTS

| ART. NO  | COMPONENTS   |             |
|----------|--------------|-------------|
| 12000065 | Alfa H=600mm | W=75-100mm  |
| 12000066 | Alfa H=600mm | W=100-125mm |
| 12000067 | Alfa H=400mm | W=75-100mm  |
| 12000068 | Alfa H=400mm | W=100-125mm |

### Technical Information

- Tested to withstand force of (Joule) 400J
- Equivalent angle of impact 90°
- Approved according to: DIN EN 15512:2010-09, Kapitel 6.4.1  
DIN EN 15635:2009-08, Kapitel 9.5.1

### Material Properties

- Temperature Range -10° up to + 50°
- Recyclability 100%
- Material: Polyethylene

### Other

- Colour: Yellow (like RAL 1018 traffic yellow) / black
- Indoor use: Yes



ALFA

MACHINE GUARD  
WAREHOUSE PARTITIONING  
AUTOMATED WAREHOUSE


- Outdoor use: Yes
- Fixing: Clip to shelves



ALFA

MACHINE GUARD  
WAREHOUSE PARTITIONING  
AUTOMATED WAREHOUSE

## COMBINE WITH



GOLF

---

# IMAGES

