


DOOR UR350

Our secure thresholdless door systems facilitate passage, particularly for people with physical disabilities. The UR 350 door has a frame made from 30×20 mm steel tubing and two specially designed cross tubes, making it stable and secure. The mesh size of 50×50 mm is almost impossible to force by hand. Doors are available in heights from 2,200 mm and there are two standard widths, 750 mm and 900 mm. The doors are delivered pre-assembled and ready for mounting and are supplied with a securing plate for padlock. Standard colour is grey RAL 7037, but also available in a wide range of other colours.




FACTS

ART. NO	COMPONENTS	HEIGHT (mm)	WIDTH (mm)	MESH SIZE (mm)	FRAME (mm)
35075001	Door UR350 P 750 R	2200	750	50x50	19x19
35075011	Door UR350 P 750 L	2200	750	50x50	19x19
35075021	Door UR350 P 750 R In	2200	750	50x50	19x19
35075031	Door UR350 P 750 L In	2200	750	50x50	19x19
35090001	Door UR350 P 900 R	2200	900	50x50	19x19
35090011	Door UR350 P 900 L	2200	900	50x50	19x19
35090021	Door UR350 P 900 R In	2200	900	50x50	19x19
35090031	Door UR350 P 900 L In	2200	900	50x50	19x19


Finish on panels, posts and powder coated accessories has the last figure variants in **ART. NO.**

"1" = RAL 7037 Dusty Grey; "2" RAL 1018 Zink Yellow; "5" All other RAL colours or cut/welded; "6" RAL 9005 Jet Black, "8" Hot dip galvanized


ACCESSORIES




PADLOCK

STORE ROOM
NUMBERINGDOOR SYSTEM
HOLDER
NUMBERPLATEDOOR SYSTEM KIT
SILENCESPARE PARTS
SECURING PLATES

COMBINE WITH



PANEL UR350



PANEL UR300

IMAGES

