

SAFE ESCAPE LOCK

The Safe Escape Lock is the perfect lock for Automated Warehouses. It can be supplemented with a non-contact, proximity switch inside, making sure the power is cut off when the door is opened. The knob and euro cylinder lock ensures a locked door from the outside that only authorized staff with a key can enter. The red handle for panic escape can only be reached from the inside and is protected by a black plate from the outside to prevent tampering. The strong locking tube which is made of aluminium has a fixing for a padlock, this can be used to secure the door when open and prevent it from being closed during maintenance operations. Choose from a variety of switches to be fitted to your lock and our profile euro cylinder. The Safe Escape is supplied pre-mounted as a right or left version, to fit either the single hinged or the double hinged doors.



FACTS

ART. NO	COMPONENTS
36905861	Kit 5861 Safe Esc lock R w. deadbolt
36905862	Kit 5862 Safe Esc Lock L w. deadbolt
36905871	Kit Safe Esc Lock R
36905872	Kit 5872 Safe Esc Lock L
36905881	Kit 5881 Safe Esc Lock R double w. deadbolt
36905882	Kit 5882 Safe Esc Lock L double w. deadbolt
36905891	Kit 5891 Safe Esc Lock R double
36905892	Kit 5892 Safe Esc Lock L double

Euro Cylinder from Troax

Keyed Alike: All cylinders in a set can be unlocked using the same key. All locks with identical cylinder must be ordered together in one shipment and cannot be supplemented with additional keys or cylinders later on. Each cylinder is delivered with three keys.

Keyed Different: Each lock and cylinder have unique keys. Each cylinder is delivered with three keys.





ACCESSORIES



SAFETY SWITCHES-NON CONTACT

COMBINE WITH





SINGLE HINGED DOOR DOUBLE HINGED DOOR





IMAGES



