

ART STORAGE

The base of the art storage system is the UX450 panel. Its 30x20 tubular frame, 3x3.75mm wire and 50x50 mm mesh aperture, is well suited to carry paintings. The door sections with its UX450 panels are combined with 60x40 posts, Z-beams, aluminium rails and floor guides along with other system components.

Maximum door section width is 3000 mm using a standard panel height of 2200 mm.

Maximum loading capacity per door section is approximately 130 kg, depending on the width, as the maximum total weight of the door section shall not exceed 160 kg with the load included.

Standard distance between each door section is c/c 360 mm. There are no limits on how many door sections can be placed in a row, but for the self-supported option, standing on the floor, a post must be used for every 6 door sections.


Panels and posts are supplied powder coated in grey RAL 7037 finish, however other RAL colours are available upon request.



FACTS

ART. NO	COMPONENTS
36501500	Floor guide Art storage
36501501	Rail support z-beam Art storage
36501502	Rail support ceiling Art storage
36501503	Threaded rod M10x500 Art storage
36907940	Kit 7940 Runner boogie Art storage


COMBINE WITH



PANEL UX450



POST 60X40 WP



ROOF BEAM



ART STORAGE

PROPERTY PROTECTION
WAREHOUSE PARTITIONING

IMAGES

