

POST 60X40 WP

Post 60x40 is the backbone of the partitioning wall system and is compatible with all panel types and fixing systems. A formed plate is welded to the base of the post, which gives a very solid and stable construction. The 60x40 post is available in heights 2200 mm and 3000 mm. The post can be cut in any height and can also be extended to any height using Extension bracket or SmartSplice. The post can be attached to the ceiling using Top fixing. And when using Kit post support, it is also possible to add a double post behind the wall for extra strength.

The posts are supplied powder coated as standard with a grey RAL 7037 finish, however other RAL colours are available upon request. The posts can also be supplied in hot dip galvanized execution for external use or in cold storage areas.

FACTS

ART. NO	COMPONENTS
26510001	Post 60x40x3000
29601521	Post 60x40x2200

Finish on panels, posts and powder coated accessories has the last figure variants in **ART. NO.**

"1" = RAL 7037 Dusty Grey; "2" RAL 1018 Zink Yellow; "5" All other RAL colours or cut/welded; "6" RAL 9005 Jet Black, "8" Hot dip galvanized







ACCESSORIES





BRACKET DOUBLE POST

EXTENSION BRACKET

SMART SPLICE

TUBE 60X40

COMBINE WITH



SAFE FIX 60X40 BRACKET



PANEL UX450 PARTITIONING SYSTEM



PANEL UR350 PARTITIONING SYSTEM



PANEL UR325 PARTITIONING SYSTEM



PANEL UR SP PARTITIONING SYSTEM



MACHINE GUARD WAREHOUSE PARTITIONING AUTOMATED WAREHOUSE

IMAGES

PROTECTING PEOPLE, PROPERTY, AND PROCESSES | troax.com

